



SHEET VINYL




TABLE OF CONTENTS

TEX

TEX.....	6
TEX PRO.....	8
TEX ULTRA.....	10

LUXTERRA

CANVAS.....	14
KREATION.....	16
PHILOSOPHIK.....	18
PIETRO.....	20
ROYAL.....	22
THEATRIKA.....	24

ABOUT THE PRODUCTS.....	26
DISPLAYS.....	27
CHARTS.....	28
ABOUT US.....	34



100% Waterproof



Resistant to pet stains



Economic



Easy to install



Prevents slips and cushions falls




TEX
B0090 - MISSION GOLD




B0094 - MONTREAL LIGHT



B0092 - MISSION GREY



B0091 - STRATFORD BEIGE



B0093 - MISSION BROWN



B0090 - MISSION GOLD

FEATURES

Shows realistic visuals
Provides comfort and durability
Hides subfloor imperfections
Easy to install

WARRANTY

Residential Use:
15 years

Waterproof:
Lifetime
Petproof:
Lifetime

SAMPLE FORMAT

Strap set
Flip board 21" x 36"

INSTALLATION

Loose Lay (< 48 y² with 1 seam, if required)
Full spread glue
Suitable over radiant heat



NSCS certified



TEX PRO
B0075 - SARNIA GREY



B0075 - SARNIA GREY



B0076 - SARNIA CHARCOAL



B0077 - WINDSOR GREY



B0078 - WINDSOR TAUPE



B0079 - WINDSOR BEIGE

FEATURES

Made with extra thick wear layer
Commercial grade flooring
Provides comfort and durability
Hides subfloor imperfections

WARRANTY

Residential Use:

Lifetime

Moderate Commercial Use:

7 years

Waterproof:

Lifetime

Petproof:

Lifetime

SAMPLE FORMAT

Strap set

Flip board 21" x 36"

INSTALLATION

Loose Lay (< 48 y² with 1 seam, if required)

Full spread glue

Suitable over radiant heat




floor score
NSC Certified



TEX ULTRA


B0081 - KINGSTON GREY



B0080 - KINGSTON BEIGE



B0081 - KINGSTON GREY




B0082 - COURTENAY LIGHT



B0083 - COURTENAY DARK



B0084 - LONDON LIGHT



B0085 - ORILLIA DARK



B0086 - ORILLIA LIGHT



B0087 - ORILLIA TAN



B0088 - VERNON COPPER



B0089 - VERNON CHARCOAL

FEATURES

- Light commercial grade flooring
- Provides comfort and durability
- Hides subfloor imperfections
- Easy to install

WARRANTY

Residential Use:

25 years

Moderate Commercial Use:

5 years

Waterproof:

Lifetime

Petproof:

Lifetime

SAMPLE FORMAT

Strap set

Flip board 21" x 36"

INSTALLATION

Loose Lay (< 48 y² with 1 seam, if required)

Full spread glue

Suitable over radiant heat



NSCS certified



 **LuxTerra**TM
Sheet vinyl



 **100% Waterproof**

 **Resistant to pet stains**

 **Economic**

 **Prevents slips and cushions falls**



CANVAS
B0042 - VERMEER BROWN



B0038 - DA VINCI CREAM



B0039 - DA VINCI BEIGE




B0040 - DA VINCI GREY



B0041 - VERMEER DARK



B0042 - VERMEER BROWN



B0043 - VERMEER CREAM

FEATURES

Extremely durable wear layer
(light industrial use)
Excellent value at very affordable cost

WARRANTY

Residential Use:

15 years

Moderate Commercial Use:

5 years

Waterproof:

Lifetime

Petproof:

Lifetime

SAMPLE FORMAT

Strap set
Flip board 21" x 36"

INSTALLATION

Loose Lay (< 25 y² with no seams)
Full spread glue
Suitable over radiant heat



NSCS certified



KREATION
B0074 - DALI GREY

FEATURES

Patterns inspired by Mediterranean architecture
Good value at low cost
Fashion-forward styles in beautiful tones

WARRANTY

Residential Use:
10 years

Waterproof:
Lifetime
Petproof:
Lifetime

SAMPLE FORMAT

Strap set
Flip board 21" x 36"



B0064 - TITEN BEIGE



B0065 - TITEN GREY



B0070 - RENOIR BEIGE



B0071 - RENOIR BLUE



B0072 - RENOIR GREY



B0073 - DALI BEIGE



B0074 - DALI GREY

INSTALLATION

Loose Lay (< 25 y² with no seams)
Full spread glue
Suitable over radiant heat



NSCScored



PHILOSOPHIK

B0059 - SARTRE GOLDEN

FEATURES

From modern concrete look to natural wood-like designs
Good value at low cost

WARRANTY

Residential Use:
10 years

Waterproof:
Lifetime
Petproof:
Lifetime

SAMPLE FORMAT

Strap set
Flip board 21" x 36"



B006 - FREUD BEIGE



B007 - FREUD GREY



B059 - SARTRE GOLDEN



B0061 - SARTRE COPPER



B060 - SARTRE SILVER

INSTALLATION

Loose Lay (< 25 y² with no seams)
Full spread glue
Suitable over radiant heat



NSCS certified



PIETRO

B197L - SPANISH OAK GREY

FEATURES

Innovative designs of tiles, wood and concrete
Good value at low cost


WARRANTY

Residential Use:
10 years


Waterproof:
Lifetime
Petproof:
Lifetime

SAMPLE FORMAT


Strap set
Flip board 21" x 36"




B096M - CHALET OAK



B699L - HAVANNA OAK



B262L - FUMED OAK



B693M - IDAHO BEIGE




B907M - ZINC GREY




B126M - SPANISH OAK HONEY



B607D - ZINC BEIGE



S126M - SUGAR OAK



B197L - SPANISH OAK GREY

INSTALLATION

Loose Lay (< 25 y² with no seams)
Full spread glue
Suitable over radiant heat



NSCS certified



ROYAL
B0011 - ANTOINETTE GREY



B0012 - ANTOINETTE BEIGE



B0011 - ANTOINETTE GREY



B0019 - FRANCIS BROWN

FEATURES

Innovative designs of tiles, wood and concrete
Modern meets classic
Good value at low cost

WARRANTY

Residential Use:
10 years

Waterproof:
Lifetime
Petproof:
Lifetime

SAMPLE FORMAT

Strap set
Flip board 21" x 36"

INSTALLATION

Loose Lay (< 25 y² with no seams)
Full spread glue
Suitable over radiant heat



NSCS certified



THEATRIKA
B0030 - WADE GREY



B0026 - MOLIÈRE PALE



B0027 - MOLIÈRE GREY



B0030 - WADE GREY

FEATURES

Durable wear layer
Excellent value at very affordable cost

WARRANTY

Residential Use:
15 years

Moderate Commercial Use:
5 years

Waterproof:
Lifetime

Petproof:
Lifetime

SAMPLE FORMAT

Strap set
Flip board 21" x 36"

INSTALLATION

Loose Lay (< 25 y² with no seams)
Full spread glue
Suitable over radiant heat




NSCScored

CONSTRUCTION




WITH FOAM BACKING



The LuxTerra sheet vinyl with foam backing is great for active families! It's affordable, waterproof and easy to install and clean. Beaulieu Canada offers products with Power Bac and Comfort Bac foam backings.



WITH TEXTILE BACKING



When you choose Tex, you choose realistic visuals and durability. Its glueless technology makes it easy to install. No need to worry about spills and tough cleaning. It is easy to maintain and easy to make your own!

CERTIFICATIONS



BEAULIEU LAB CERTIFIED

Ensures that the floor covering you're buying surpasses industry quality standards.

- ✓ Low Volatile Organic Compounds (VOC)
- ✓ Wear / Abrasion resistance
- ✓ Dimensional stability



FLOORSCORE

Certifies compliance with rigorous indoor air quality requirements.

DISPLAYS



CRADLE DISPLAY

DISPLAY SIZE:
23" W x 57" H x 28" D
SAMPLE SIZE:
21" W x 36" H
Each cradle can hold up to 30 sample boards

CHART

CERTIFICATIONS

BLC • FloorScore

INSTALLATION METHODS

Loose Lay (< 48 y² with 1 seam, if required) • Full spread glue • Suitable over radiant heat

WARRANTY*

TEX I Residential use: 15 years

TEX Ultra I Residential use: 25 years • Moderate Commercial use: 5 years

TEX Pro I Residential use: Lifetime • Moderate Commercial use: 7 years

ABRASION RESISTANCE

TEX Ultra / TEX Pro I Class 23-32-41 / Heavy residential, general commercial and light industrial use

TEX I Class 23-31 / Heavy residential and light commercial use

INTERLAYER

Fiberglass sheet

COLLECTION	SKU	COLOR	WIDTH	STANDARD ROLL LENGTH	TOTAL THICKNESS	WEAR LAYER THICKNESS
TEX	B0090	Mission Gold	± 13' 1" (4 m)	± 98' (30 m)	0.098" (2.5 mm)	0.01" (0.25 mm, 10 mil.)
TEX	B0091	Stratford Beige	± 13' 1" (4 m)	± 98' (30 m)	0.098" (2.5 mm)	0.01" (0.25 mm, 10 mil.)
TEX	B0092	Mission Grey	± 13' 1" (4 m)	± 98' (30 m)	0.098" (2.5 mm)	0.01" (0.25 mm, 10 mil.)
TEX	B0093	Mission Brown	± 13' 1" (4 m)	± 98' (30 m)	0.098" (2.5 mm)	0.01" (0.25 mm, 10 mil.)
TEX	B0094	Montreal Light	± 13' 1" (4 m)	± 98' (30 m)	0.098" (2.5 mm)	0.01" (0.25 mm, 10 mil.)
TEX Ultra	B0080	Kingston Beige	± 13' 1" (4 m)	± 92' (28 m)	0.114" (2.9 mm)	0.016" (0.40 mm, 16 mil.)
TEX Ultra	B0081	Kingston Grey	± 13' 1" (4 m)	± 92' (28 m)	0.114" (2.9 mm)	0.016" (0.40 mm, 16 mil.)
TEX Ultra	B0082	Courtenay Light	± 13' 1" (4 m)	± 92' (28 m)	0.114" (2.9 mm)	0.016" (0.40 mm, 16 mil.)
TEX Ultra	B0083	Courtenay Dark	± 13' 1" (4 m)	± 92' (28 m)	0.114" (2.9 mm)	0.016" (0.40 mm, 16 mil.)
TEX Ultra	B0084	London Light	± 13' 1" (4 m)	± 92' (28 m)	0.114" (2.9 mm)	0.016" (0.40 mm, 16 mil.)
TEX Ultra	B0085	Orillia Dark	± 13' 1" (4 m)	± 92' (28 m)	0.114" (2.9 mm)	0.016" (0.40 mm, 16 mil.)
TEX Ultra	B0086	Orillia Light	± 13' 1" (4 m)	± 92' (28 m)	0.114" (2.9 mm)	0.016" (0.40 mm, 16 mil.)
TEX Ultra	B0087	Orillia Tan	± 13' 1" (4 m)	± 92' (28 m)	0.114" (2.9 mm)	0.016" (0.40 mm, 16 mil.)
TEX Ultra	B0088	Vernon Copper	± 13' 1" (4 m)	± 92' (28 m)	0.114" (2.9 mm)	0.016" (0.40 mm, 16 mil.)
TEX Ultra	B0089	Vernon Charcoal	± 13' 1" (4 m)	± 92' (28 m)	0.114" (2.9 mm)	0.016" (0.40 mm, 16 mil.)
TEX Pro	B0075	Sarnia Grey	± 13' 1" (4 m)	± 98' (30 m)	0.118" (3 mm)	0.022" (0.55 mm, 20 mil.)
TEX Pro	B0076	Sarnia Charcoal	± 13' 1" (4 m)	± 98' (30 m)	0.118" (3 mm)	0.022" (0.55 mm, 20 mil.)
TEX Pro	B0077	Windsor Grey	± 13' 1" (4 m)	± 98' (30 m)	0.118" (3 mm)	0.022" (0.55 mm, 20 mil.)
TEX Pro	B0078	Windsor Taupe	± 13' 1" (4 m)	± 98' (30 m)	0.118" (3 mm)	0.022" (0.55 mm, 20 mil.)
TEX Pro	B0079	Windsor Beige	± 13' 1" (4 m)	± 98' (30 m)	0.118" (3 mm)	0.022" (0.55 mm, 20 mil.)

DESIGN SIZE	PATTERN REPEAT	REVERSE SEAM	BACKING	SURFACE
± 8" (20 cm)	± 59" x 39" (150 cm x 100 cm)	No	Tex Bac	Polyurethane
± 7" (16.66 cm)	± 59" x 39" (150 cm x 100 cm)	No	Tex Bac	Polyurethane
± 8" (20 cm)	± 59" x 39" (150 cm x 100 cm)	No	Tex Bac	Polyurethane
± 8" (20 cm)	± 59" x 39" (150 cm x 100 cm)	No	Tex Bac	Polyurethane
± 8" (20 cm)	± 39" x 39" (100 cm x 100 cm)	No	Tex Bac	Polyurethane
± 10" x 10" (25 cm x 25 cm)	± 39" x 39" (100 cm x 100 cm)	No	Tex Bac	PU Laquer
± 10" x 10" (25 cm x 25 cm)	± 39" x 39" (100 cm x 100 cm)	No	Tex Bac	PU Laquer
± 8" (20 cm)	± 59" x 39" (150 cm x 100 cm)	No	Tex Bac	PU Laquer
± 8" (20 cm)	± 59" x 39" (150 cm x 100 cm)	No	Tex Bac	PU Laquer
± 7" (16.66 cm)	± 59" x 39" (150 cm x 100 cm)	No	Tex Bac	PU Laquer
± 8" (20 cm)	± 59" x 39" (150 cm x 100 cm)	No	Tex Bac	PU Laquer
± 8" (20 cm)	± 59" x 39" (150 cm x 100 cm)	No	Tex Bac	PU Laquer
± 8" (20 cm)	± 59" x 39" (150 cm x 100 cm)	No	Tex Bac	PU Laquer
None	N/A	Yes	Tex Bac	PU Laquer
None	N/A	Yes	Tex Bac	PU Laquer
± 20" x 20" (50 cm x 50 cm)	± 39" x 39" (100 cm x 100 cm)	No	Tex Bac	PU Laquer
± 20" x 20" (50 cm x 50 cm)	± 39" x 39" (100 cm x 100 cm)	No	Tex Bac	PU Laquer
± 8" (20 cm)	± 59" x 39" (150 cm x 100 cm)	No	Tex Bac	PU Laquer
± 8" (20 cm)	± 59" x 39" (150 cm x 100 cm)	No	Tex Bac	PU Laquer
± 8" (20 cm)	± 59" x 39" (150 cm x 100 cm)	No	Tex Bac	PU Laquer

*Please visit our website for complete limited warranty, care, maintenance and installation instructions for this product.

CHART

CERTIFICATIONS

BLC • FloorScore

INSTALLATION METHODS

Loose Lay (< 25 y² with no seams) • Full spread glue

COLLECTION	SKU	COLOR	WIDTH	STANDARD ROLL LENGTH	TOTAL THICKNESS	WEAR LAYER THICKNESS
Canvas	B0038	Da Vinci Cream	± 13' 1" (4 m)	± 82' (25 m)	± 0.138" (3.5 mm)	± 0.014" (0.35 mm, 14 mil.)
Canvas	B0039	Da Vinci Beige	± 13' 1" (4 m)	± 82' (25 m)	± 0.138" (3.5 mm)	± 0.014" (0.35 mm, 14 mil.)
Canvas	B0040	Da Vinci Grey	± 13' 1" (4 m)	± 82' (25 m)	± 0.138" (3.5 mm)	± 0.014" (0.35 mm, 14 mil.)
Canvas	B0041	Vermeer Dark	± 13' 1" (4 m)	± 82' (25 m)	± 0.138" (3.5 mm)	± 0.014" (0.35 mm, 14 mil.)
Canvas	B0042	Vermeer Brown	± 13' 1" (4 m)	± 82' (25 m)	± 0.138" (3.5 mm)	± 0.014" (0.35 mm, 14 mil.)
Canvas	B0043	Vermeer Cream	± 13' 1" (4 m)	± 82' (25 m)	± 0.138" (3.5 mm)	± 0.014" (0.35 mm, 14 mil.)
Kreation	B0064	Titien Beige	± 13' 1" (4 m)	± 98' (30 m)	± 0.098" (2.5 mm)	± 0.01" (0.25 mm, 10 mil.)
Kreation	B0065	Titien Grey	± 13' 1" (4 m)	± 98' (30 m)	± 0.098" (2.5 mm)	± 0.01" (0.25 mm, 10 mil.)
Kreation	B0070	Renoir Beige	± 13' 1" (4 m)	± 98' (30 m)	± 0.098" (2.5 mm)	± 0.01" (0.25 mm, 10 mil.)
Kreation	B0071	Renoir Blue	± 13' 1" (4 m)	± 98' (30 m)	± 0.098" (2.5 mm)	± 0.01" (0.25 mm, 10 mil.)
Kreation	B0072	Renoir Grey	± 13' 1" (4 m)	± 98' (30 m)	± 0.098" (2.5 mm)	± 0.01" (0.25 mm, 10 mil.)
Kreation	B0073	Dali Beige	± 13' 1" (4 m)	± 98' (30 m)	± 0.098" (2.5 mm)	± 0.01" (0.25 mm, 10 mil.)
Kreation	B0074	Dali Grey	± 13' 1" (4 m)	± 98' (30 m)	± 0.098" (2.5 mm)	± 0.01" (0.25 mm, 10 mil.)
Philosophik	B0006	Freud Beige	± 13' 1" (4 m)	± 98' (30 m)	± 0.098" (2.5 mm)	± 0.01" (0.25 mm, 10 mil.)
Philosophik	B0007	Freud Grey	± 13' 1" (4 m)	± 98' (30 m)	± 0.098" (2.5 mm)	± 0.01" (0.25 mm, 10 mil.)
Philosophik	B0059	Sartre Golden	± 13' 1" (4 m)	± 98' (30 m)	± 0.098" (2.5 mm)	± 0.01" (0.25 mm, 10 mil.)
Philosophik	B0060	Sartre Silver	± 13' 1" (4 m)	± 98' (30 m)	± 0.098" (2.5 mm)	± 0.01" (0.25 mm, 10 mil.)
Philosophik	B0061	Sartre Copper	± 13' 1" (4 m)	± 98' (30 m)	± 0.098" (2.5 mm)	± 0.01" (0.25 mm, 10 mil.)

WARRANTY*

Canvas I Residential use: 15 years • Moderate Commercial use: 5 years

Kreation / Philosophik I Residential use: 10 years

ABRASION RESISTANCE

Canvas I Class 23-32-41 / Heavy residential, general commercial & light industrial use

Kreation / Philosophik I Class 23-31 / Heavy residential & light commercial use

INTERLAYER

Fiberglass

DESIGN SIZE	PATTERN REPEAT	REVERSE SEAM	BACKING	SURFACE
Various	± 39" x 39" (100 cm x 100 cm)	No	Power Bac foam	PU Lacquer
Various	± 39" x 39" (100 cm x 100 cm)	No	Power Bac foam	PU Lacquer
Various	± 39" x 39" (100 cm x 100 cm)	No	Power Bac foam	PU Lacquer
± 13" x 20" (33.33 cm x 50 cm)	± 39" x 39" (100 cm x 100 cm)	No	Power Bac foam	PU Lacquer
± 13" x 20" (33.33 cm x 50 cm)	± 39" x 39" (100 cm x 100 cm)	No	Power Bac foam	PU Lacquer
± 13" x 20" (33.33 cm x 50 cm)	± 39" x 39" (100 cm x 100 cm)	No	Power Bac foam	PU Lacquer
None	N/A	Yes	Power Bac foam	PU Lacquer
None	N/A	Yes	Power Bac foam	PU Lacquer
± 4.921" x 4.921" (12.5 cm x 12.5 cm)	± 39" x 39" (100 cm x 100 cm)	No	Power Bac foam	PU Lacquer
± 4.921" x 4.921" (12.5 cm x 12.5 cm)	± 39" x 39" (100 cm x 100 cm)	No	Power Bac foam	PU Lacquer
± 4.921" x 4.921" (12.5 cm x 12.5 cm)	± 39" x 39" (100 cm x 100 cm)	No	Power Bac foam	PU Lacquer
± 4.921" x 4.921" (12.5 cm x 12.5 cm)	± 39" x 39" (100 cm x 100 cm)	No	Power Bac foam	PU Lacquer
± 4.921" x 4.921" (12.5 cm x 12.5 cm)	± 39" x 39" (100 cm x 100 cm)	No	Power Bac foam	PU Lacquer
± 7" (16.66 cm)	± 59" x 39" (150 cm x 100 cm)	No	Power Bac foam	Premium Protect
± 7" (16.66 cm)	± 59" x 39" (150 cm x 100 cm)	No	Power Bac foam	Premium Protect
None	N/A	Yes	Power Bac foam	PU Lacquer
None	N/A	Yes	Power Bac foam	PU Lacquer
None	N/A	Yes	Power Bac foam	PU Lacquer

*Please visit our website for complete limited warranty, care, maintenance and installation instructions for this product.

CHART

CERTIFICATIONS

BLC • FloorScore

INSTALLATION METHODS

Loose Lay (< 25 y² with no seams) • Full spread glue

WARRANTY*

Pietro / Royal I Residential use: 10 years
Theatrika I Residential use: 15 years • Moderate Commercial use: 5 years

ABRASION RESISTANCE

Class 23-31 / Heavy residential & light commercial use

INTERLAYER

Pietro I FLEXTREME **Royal / Theatrika I** Fiberglass

COLLECTION	SKU	COLOR	WIDTH	STANDARD ROLL LENGTH	TOTAL THICKNESS	WEAR LAYER THICKNESS
Pietro	B096M	Chalet Oak	± 13' 1" (4 m)	± 82' (25 m)	± 0.089" (2.25 mm)	± 0.01" (0.25 mm, 10 mil.)
Pietro	B699L	Havanna Oak	± 13' 1" (4 m)	± 82' (25 m)	± 0.089" (2.25 mm)	± 0.01" (0.25 mm, 10 mil.)
Pietro	B262L	Fumed Oak	± 13' 1" (4 m)	± 82' (25 m)	± 0.089" (2.25 mm)	± 0.01" (0.25 mm, 10 mil.)
Pietro	B693M	Idaho Beige	± 13' 1" (4 m)	± 82' (25 m)	± 0.089" (2.25 mm)	± 0.01" (0.25 mm, 10 mil.)
Pietro	B126M	Spanish Oak Honey	± 13' 1" (4 m)	± 82' (25 m)	± 0.089" (2.25 mm)	± 0.01" (0.25 mm, 10 mil.)
Pietro	B197L	Spanish Oak Grey	± 13' 1" (4 m)	± 82' (25 m)	± 0.089" (2.25 mm)	± 0.01" (0.25 mm, 10 mil.)
Pietro	S126M	Sugar Oak	± 13' 1" (4 m)	± 82' (25 m)	± 0.089" (2.25 mm)	± 0.01" (0.25 mm, 10 mil.)
Pietro	B607D	Zinc Beige	± 13' 1" (4 m)	± 82' (25 m)	± 0.089" (2.25 mm)	± 0.01" (0.25 mm, 10 mil.)
Pietro	B907M	Zinc Grey	± 13' 1" (4 m)	± 82' (25 m)	± 0.089" (2.25 mm)	± 0.01" (0.25 mm, 10 mil.)
Royal	B0011	Antoinette Grey	± 13' 1" (4 m)	± 82' (25 m)	± 0.138" (3.5 mm)	± 0.01" (0.25 mm, 10 mil.)
Royal	B0012	Antoinette Beige	± 13' 1" (4 m)	± 82' (25 m)	± 0.138" (3.5 mm)	± 0.01" (0.25 mm, 10 mil.)
Royal	B0019	Francis Brown	± 13' 1" (4 m)	± 82' (25 m)	± 0.138" (3.5 mm)	± 0.01" (0.25 mm, 10 mil.)
Theatrika	B0026	Molière Pale	± 13' 1" (4 m)	± 98' (30 m)	± 0.126" (3.2 mm)	± 0.012" (0.3 mm, 12 mil.)
Theatrika	B0027	Molière Grey	± 13' 1" (4 m)	± 98' (30 m)	± 0.126" (3.2 mm)	± 0.012" (0.3 mm, 12 mil.)
Theatrika	B0030	Wade Grey	± 13' 1" (4 m)	± 98' (30 m)	± 0.126" (3.2 mm)	± 0.012" (0.3 mm, 12 mil.)

DESIGN SIZE	PATTERN REPEAT	REVERSE SEAM	BACKING	SURFACE
± 5" (12.5 cm)	± 39" x 39" (100 cm x 100 cm)	No	Power Bac foam	Polyurethane
± 7" (16.66 cm)	± 39" x 59" (100 cm x 150 cm)	No	Power Bac foam	Polyurethane
± 5" (12.5 cm)	± 39" x 39" (100 cm x 100 cm)	No	Power Bac foam	Polyurethane
Various	± 39" x 39" (100 cm x 100 cm)	No	Power Bac foam	Polyurethane
± 7" (16.66 cm)	± 39" x 39" (100 cm x 100 cm)	No	Power Bac foam	Polyurethane
± 7" (16.66 cm)	± 39" x 39" (100 cm x 100 cm)	No	Power Bac foam	Polyurethane
± 6" (14.3 cm)	± 39" x 39" (100 cm x 100 cm)	No	Power Bac foam	Polyurethane
None	N/A	Yes	Power Bac foam	Polyurethane
None	N/A	Yes	Power Bac foam	Polyurethane
Various	± 39" x 39" (100 cm x 100 cm)	No	Comfort Bac foam	PU Lacquer
Various	± 39" x 39" (100 cm x 100 cm)	No	Comfort Bac foam	PU Lacquer
± 8" (20 cm)	± 59" x 39" (150 cm x 100 cm)	No	Comfort Bac foam	PU Lacquer
± 8" (20 cm)	± 59" x 39" (150 cm x 100 cm)	No	Power Bac foam	PU Lacquer
± 8" (20 cm)	± 59" x 39" (150 cm x 100 cm)	No	Power Bac foam	PU Lacquer

*Please visit our website for complete limited warranty, care, maintenance and installation instructions for this product.

ABOUT US

FLOORING PROFESSIONALS

Beaulieu Canada is a leading Canadian carpet manufacturer with over 55 years of experience in the manufacturing, distribution and sales of floor coverings. In 2005, Beaulieu Canada broadened its product offering to include quality hard surface flooring which today includes:

**Carpet | Engineered Hardwood | Engineered Luxury Vinyl | Luxury Vinyl
Water-Resistant Laminate | Laminate | Sheet Vinyl | Carpet Tiles**

Backed by the success of its European-inspired color selections and designs, modern merchandising and customized products, Beaulieu Canada prides itself on delivering the right colors and the right designs to customers across North America.

FRESH APPROACH TO STYLING

Beaulieu Canada continuously launches innovative products to meet the needs of the flooring market. Investing in research and development, building strong business relationships and a talented marketing and design team are what have assisted Beaulieu Canada in being positioned as trend setters in the flooring industry; all of which is displayed with fresh merchandising, effective and versatile B2C samples and trendy color sections launched on a regular basis.

THE RIGHT FLOORING

The RIGHT flooring is having the **right color** selection and the **right design** of products in the **right format** for distributors and retailers; which is what Beaulieu Canada is known for. With investments in multiple market segments from residential and commercial to property management, Beaulieu Canada offers multiple flooring collections to satisfy various business segments. All products are tested, certified or inspected to ensure they surpass industry standards.



RIGHT
COLOR
RIGHT
DESIGN